


AMBATTUR, CHENNAI · SERVING SOUTH INDIA

Made for the work on your site.

Scaffolding, centering sheets and custom steel formwork.
Speak directly with the people who manufacture it.



Visit our workshop

No. 25, Vanagaram Road, Kalyani Industrial Estate,
Athipet, Ambattur, Chennai – 600037, Tamil Nadu.

Discuss your requirement

+91 90032 00862 · +91 80721 22463
ursengineering@yahoo.com
ursengineering.in/products/

Some of our valued clients



GMR



VGN



Casagrand



Radiance Realty



Saravana Stores



Tamil Nadu Housing Board



Logos Constructions Pvt. Ltd.



MPN Infra Projects




YS

PRODUCTS & SPECIFICATIONS

SLAB FORMWORK

Centering sheets



Steel centering sheets for slab shuttering, with folding and angle-frame options.

Folding sheet sizes	3 ft × 2 ft and 4 ft × 2 ft
Angle-frame sheet sizes	3 ft × 2 ft and 4 ft × 2 ft
Angle frame	25 × 25 × 4 mm
Stiffeners	Two rib or angle stiffeners, depending on model
Custom requirements	Special sizes available on enquiry

[View current product details →](#)

ADJUSTABLE SUPPORT

Telescopic spans



Adjustable telescopic spans with a double-locking system for shuttering support.

Standard model range	2.35 m – 4.16 m
Large model range	3.00 m – 5.50 m
Standard model weight	Approx. 43 kg (±5%)
Large model weight	Approx. 53 kg (±5%)
Locking system	Double locking

[View current product details →](#)

Catalogue reference: October 2026. Dimensions are from the company catalogue. Final specifications, availability and commercial terms are confirmed in the quotation. Support arrangements and loading must follow the project's temporary-works design.

PRODUCTS & SPECIFICATIONS

VERTICAL SUPPORT

Props & jacks




Adjustable steel props, commonly called jacky, for centering and formwork support.

Product type	Telescopic normal prop-jack
Outer pipe	60.3 mm OD × 3.6 mm thick
Inner pipe	48.3 mm OD × 2.9 mm thick
Base plate	150 × 150 × 6 mm
Top plate	100 × 100 × 6 mm
Finish	Painted URS Engineering blue

[View current product details →](#)

SHUTTERING SYSTEMS

Wall forms



Framed steel shuttering panels for concrete walls and related formwork requirements.

Sheet	12-gauge steel sheet, as listed in our catalogue
Frame	45 × 45 × 5 mm angle
Stiffeners	Angle stiffeners
Connections	Slots along the sides for alignment
Quotation details	Panel dimensions and quantity

[View current product details →](#)

Catalogue reference: October 2026. Dimensions are from the company catalogue. Final specifications, availability and commercial terms are confirmed in the quotation. Support arrangements and loading must follow the project's temporary-works design.

PRODUCTS & SPECIFICATIONS

CUPLOCK & APS

Scaffolding systems




Cuplock and all-purpose scaffolding components for construction and access work.

Systems	Cuplock and all-purpose scaffolding (APS)
APS tube diameter	48.3 mm OD
APS lug spacing	500 mm centre to centre
Available connection	Spigot joint units
To request a quote	System type, component list and quantities

[View current product details →](#)

ACCESS SCAFFOLDING

H-frame scaffolding



H-frame units with cross braces and spigot connections for access scaffolding.

Frame type	H-frame
Vertical tube	42.3 mm OD
Connections	Cross braces and spigot joints
Accessories	Ladder and related components on enquiry
To request a quote	Frame requirements and component quantities

[View current product details →](#)

Catalogue reference: October 2026. Dimensions are from the company catalogue. Final specifications, availability and commercial terms are confirmed in the quotation. Support arrangements and loading must follow the project's temporary-works design.

PRODUCTS & SPECIFICATIONS

CUSTOM FABRICATION

Road barrier moulds




Product	Concrete road barrier mould
Design input	Customer CAD drawing or dimensions
Manufacturing	Custom steel fabrication
To request a quote	Drawing, quantity and delivery location

[View current product details →](#)

Fabricated moulds for concrete road barriers, made to your drawing requirements.

TEMPLE CONSTRUCTION

Kodungai moulds



Application	Temple construction
Product type	Modular kodungai mould
Design input	CAD drawing or profile dimensions
To request a quote	Profile, length and number of units

[View current product details →](#)

Custom modular kodungai moulds for the architectural details of temple construction.

Catalogue reference: October 2026. Dimensions are from the company catalogue. Final specifications, availability and commercial terms are confirmed in the quotation. Support arrangements and loading must follow the project's temporary-works design.

PRODUCTS & SPECIFICATIONS

COMPONENTS & ACCESSORIES

Formwork accessories



Range	Wall-form and shuttering accessories
Enquiry information	Component name or reference photo
Matching details	Dimensions and existing system details
Quantity	Specify the required number of each component

[View current product details →](#)

Accessories and supporting components for your wall-form and shuttering requirements.

Send us your material list.

For a quotation, include the product, model or size, quantity and delivery town. For custom work, attach a CAD drawing or clearly dimensioned profile.

1. **Share your requirement.** Send your product list and drawings.
2. **Confirm the quotation.** Discuss specifications, price, applicable charges and delivery schedule.
3. **Plan your dispatch.** Coordinate production, collection or transport with our team.

+91 90032 00862 · +91 80721 22463

ursengineering@yahoo.com


[Request a quotation online →](#)

Catalogue reference: October 2026. Dimensions are from the company catalogue. Final specifications, availability and commercial terms are confirmed in the quotation. Support arrangements and loading must follow the project's temporary-works design.

ACCESSORIES & MATCHING DETAILS

Specify the right component.

Send your dimensions, drawing and quantity. Confirm the matching arrangement with our team before ordering.




Centering sheet adjusters

Adjusters for centering-sheet dimensions and alignment, matched to your shuttering requirement.

Include in your enquiry: Sheet model, frame details and shuttering layout; Required length, width and dimensions in mm.

[View component details →](#)




Scaffolding cross braces

Cross braces for matching H-frame scaffold assemblies. Confirm frame spacing and connection details.

Include in your enquiry: Frame spacing and brace connection centres; End details, holes or pins shown in your drawing.

[View component details →](#)



Scaffolding spigot joint units

Spigot joint units for compatible scaffolding connections, matched to your system and tube details.

Include in your enquiry: Mating tube dimensions and joint length; Joint engagement and fixing details from your drawing.

[View component details →](#)

Sketches identify the dimensions needed for an enquiry. Final component dimensions and connection details are confirmed in the quotation.